

Qmavin 2 ZT6600 & ZT6800 Zetlight Marine LED Unit

Call for Price: 011 826 5887



Description

Please see attached pictures for more information.

Product Gallery

Product parameter

Model	ZT6500 II		ZT6600 II		ZT6800 II	
Total Power	90W		160W		210W	
Dimension	23.8x10.2x1.6H INCH (58.5x26x4H CM)		34.6x10.2x1.6H INCH (87.8x26x4H CM)		46.5x10.2x1.6H INCH (118x26x4H CM)	
LED	Qty	Color Temperature /Wavelength	Qty	Color Temperature /Wavelength	Qty	Color Temperature /Wavelength
White	21	6500K	42	6500K	63	6500K
Deep Blue	12	430nm	24	430nm	36	430nm
Royal Blue	9	450nm	18	450nm	27	450nm
Blue	2	460nm	4	460nm	6	460nm
Red	5	660nm	10	660nm	15	660nm
Green	2	530nm	4	530nm	6	530nm
Violet	5	410nm	10	410nm	15	410nm
Total LEDs	96		112		168	

Rated IP67

More reliable Less maintenance



Moisture
resistant




Dust
resistant



Splash
resistant



Noise
free



Waterproof test



Independent controller

Minimizes risk of failure
and extends lifespan



Ways to connect

WiFi Control



Back-up Solution

