

Hygger Auto Top Up System

Price: R2,100.00



Description

Hygger Auto Top-Off System

Expertly designed for automatic water refilling and draining, suitable for both saltwater and freshwater tanks.

Key Features:

Dual Functionality:

The Hygger Auto Top Off system boasts dual capabilities:

Drain: Insert the water pump in the aquarium and plug into the upper port (Yellow light indicator) to commence draining.

Refill: Position the pump in the reserve water tank, plug into the blue light port, and connect the external optical sensor. This ensures your tank never runs dry.

Quickly toggle functions with the "M" button.

User-friendly Design:

With its straightforward setup, there's no grappling with complex settings. Simply

connect the water pump, external sensor, and power it on. This top-off kit is

suitable for aquariums up to 227 liters (60 gallons) and can be conveniently mounted inside a cabinet filter or directly on the tank's edge. Continuous monitoring ensures your reserve tank never depletes.

Advanced Alert System:

Audible Alarm: Equipped with two optical sensors for accurate water level detection. A loud beep alerts you to

issues like:

1. Pump's reservoir running dry.
2. Pump cord disconnection.
3. External sensor water shortage.
4. Water levels exceeding the auto top-off pump's limit.

LED Indicators:

- **RED:** A steady light indicates normal operation. If off, an error is detected.
- **YELLOW:** Activates the water pump to drain.
- **BLUE:** Engages the pump to refill.
- **GREEN:** Denotes the external optical sensor.

Specifications:

ATO Monitor: Comes with a strong magnet for secure attachment to tank walls (up to 12mm thick).

Water Pump: DC 12 V, 5 W with a height max of 6.5 FT and flow rate max of 74 GPH.

Power Adapter: DC 12 V, 1A.

Universal Holder: Suitable for tanks up to 3/4 inch in thickness.

Package Contents:

- 1ATO Monitor
- 1Water Pump
- 1 Hose Holder
- 1 Soft Pipe
- 1 External Optical Sensor
- 1 Power Adapter
- 1 Universal Holder
- 1User Manual